

# Progress of Neural Machine Translation with Memory Network after IJCAI2017

Yang FENG

Feb 21, 2016

## 1 Baseline

### 1.1 initialization

- initialize the baseline according to the paper Bahdana et al. 2014 (2.21)
- initialize as old expect  $V_a$  and  $proj_b$  are zeros (2.28)
- added masks to baseline. (3.6).

**Analysis:** To use the build-in mask, we have to encode the source sentence in positive sequence which I have proved that produced a lower BLEU score than the reversed order by several point.

**To do:** add the mask vector not to use the `sequnce_len` directly in the `bidirectional-rnn`.

system	test
500-310-old	43.2
500-310-new	37.6
500-310- $v_a$ 0-b0	44.5
1000-620-old	44.7
1000-620-new	40.6
500-310- $v_a$ 0-b0-mask	44.4

Table 1: The results for different configuration. *old* means all the configuration is set default except the decoder embedding. *new* means all the initializer is set according to the above paper.

### 1.2 CS-EN

- initialized according to the paper Bahdana et al. 2014 (2.28)
- test on the random selected 1000 train-heldout data set and the dev set (results shown in Table 1.2)

test set	BLEU
train-held	30.4
dev	6.8
dev-processed	7.5

Table 2: The results of CS-EN.

- analyzed the results above and found:1. the system substitute the figures with '0'; 2. too many UNKs (3200) according to the reference (2300) (from 3.6)
- re-evaluated the BLEU score by substituting figures with '0' in the reference set and dropped UNKs in the results. (results shown in Table 1.2 as dev-processed)

## 2 $\alpha + \gamma + \text{multi-task-training}$

$\alpha$ : the probabilities that each source word is translated into all the target words in the vocabulary according to the attention. Calculated by  $p^\alpha(e_i|f_j) = \sum_j \alpha_{ij} p(e_i|f_j)$

$\gamma$ : the probability that each source word is translated into the memory words, but project to the whole target vocabulary

*multi-task*: 1. translation-probability= $p(e_i|f_j) + p^\alpha(e_i|f_j) + p^\gamma(e_i|f_j)$   
 2. align $^\alpha$  3. align $^\gamma$

- modified the calculation of translation-probability by normalize( $\text{softmax}(\text{model-logits}) + 0.5 * \text{normalized}(p^\alpha) + 0.5 * \text{normalized}(p^\gamma)$ ), but the loss during training didn't decline. (2.28)
- added masks and fixed the bug (results shown in Table 2) (3.6)
- found the reason of slow training as I used softmax two times in order to use the lib function softmax\_cross\_entropy\_with\_logits(). The solution is to write this function myself so as to do softmax only once.

system	BLEU
baseline-mask	44.4
$\alpha$ - $\gamma$ -mask	44.9